



**bizhub® C3851FS/C3351**  
COLOR COMPACT MULTIFUNCTION PRINTER



# THE BIZHUB C3851FS/C3351: SMALL BUT MIGHTY.

**Amazing color quality. Up to 40 ppm speed.  
Wireless connectivity. Enhanced security.  
Good things do come in small packages.**



Designed specifically to save space, time and even money, our newest models are stocked with features that keep your business moving forward. The user interface is just as simple and intuitive as on larger multifunction printers, so it's easy to get jobs done — quickly. The bizhub® C3851FS/C3351 holds up to 1,650 sheets with paper weight from 60 to 210 gsm and its auto-duplex capability can help reduce costs for your business and the environment. At Konica Minolta, we're invested in protecting the investment you've made for your business: your bizhub has enhanced security features that meet the highest international security standards. With top-class security, quality and efficiency, the bizhub C3851FS/C3351 is anything but business-as-usual.

#### COLLABORATION THROUGH ENHANCED SOLUTIONS

The bizhub C3851FS/C3351 also provides strong connectivity with mobile devices, cloud service and third party business applications. With a standard web browser and IWS functions, users' business requirements will be fully covered with this powerful MFP.

#### INDUSTRY-LEADING SECURITY ESSENTIAL FOR TODAY

Konica Minolta's bizhub SECURE, a professional security service, provides powerful lockdown protection that guards your bizhub from unauthorized operation. Our IEEE 802.1X SSL and IPsec protocol authentication methods allow easy integration into protected networks, plus secure network communication. Virtually all bizhub systems conform to the ISO 15408 EAL3 standard, meeting the highest international security standards. The bizhub C3851FS/C3351 also features HDD data encryption and overwriting (8x), secure print, copy protection, IP filtering and optional authentication units.

#### SPECIAL FS FINISHER MODEL

The special space saving bizhub C3851FS finisher model comes with a standard 50-sheet inner stapler finisher and standard Fax G3 functionality. Additional finishing capabilities include duplex printing and offset sorting.

#### INNOVATION THAT PUTS OUR PLANET FIRST

Our exclusive Simitri HD toner formulation uses plant-based biomass material to reduce environmental impact. The latest bizhub models are EPEAT-Gold Certified and achieve among the lowest power consumption rate of MFPs in their class. Energy saving modes reduce power consumption while maintaining fast first-copy output — and a unique Eco-indicator helps you monitor paper, toner and energy usage.



#### CUSTOMIZE THE MAIN MENU

Up to 23 shortcut keys can be set in the main menu for quick and easy access to frequently used functions.



#### SLIDE MENU

The slide menu containing pre-registered, frequently used features can be accessed from the right side of various screens.



#### BIZHUB MARKETPLACE

The bizhub MarketPlace is your source for all the apps you need to keep you informed, enhance the MFP experience and accelerate your business. Whether through your internet connected bizhub or your desktop computer, access to the bizhub MarketPlace is smart, easy and convenient.

# ADVANCED TECHNOLOGY THAT'S FUNCTIONAL, AND EASY-TO-USE

## WIRELESS CONNECTIVITY

Wireless extension functions, AP mode and Wi-Fi Direct are supported, enabling an optimum setup to match any office network environment. Flexible support for BYOD environments can be built without making additional investments.

## MOBILE PRINTING

The bizhub C3851FS/C3351 series supports various mobile print technologies. It's flexible to suit your users' environment, such as Classic Google Print, which enables output outside the office; or Mopria, which is compatible with various manufacturers' printers. The operation panel also includes a mobile touch area compatible with devices that support NFC (Near Field Communication).

With Konica Minolta Mobile Print you can:

- Pair immediately with the MFP
- Log into the unit if user authentication is set
- Print/scan

## I-OPTIONS FOR DEMANDING APPLICATIONS

Innovative i-Option capabilities for your bizhub MFP include PDF/A formatting and linearized PDF support, advanced PDF encryption for secure scanning applications, searchable PDF conversion, specialized barcode printing support and more. There's also an i-Option for Voice Guidance operation for the visually impaired.

## YOUR ONE-STOP SHOP

As the award-winning recipient of BU's 2017 Outstanding MFP App Ecosystem, bizhub MarketPlace is a great source for cutting-edge technology — and with new apps being developed all the time, your bizhub MFP will become even more powerful as you add new capabilities in all the right categories. Scanning, printing, social networking, security, document management and cloud-based apps are all easy to access and designed to help increase productivity.

## WEB BROWSER AND IWS FUNCTIONS

Allows users to access the web directly from the bizhub control panel. You can access HTTP pages, preview PDF files and search and view manuals written in HTML. This function is standard.

## AUTHENTICATION

We provide powerful security safeguards and systems, including an optional built-in IC card reader for fast, simple ID card authorization. Our bizhubs accept Biometric Authentication, input for HID Proximity Cards, iClass Cards and Magnetic Stripe Cards and CAC/PIV Card\* support. Since user authentication is one of the key factors for ensuring security, choose from different types of cards, a PIN code or a biometric finger scan. Individual access rights can be defined for each user.

## WIDGETS

Users can paste text boxes, icons or GIF animation clips as widgets on the control panel. Advertisements and operating precautions can also be effectively displayed.

# A CUSTOMIZABLE SOLUTION FOR YOUR BUSINESS



\*Standard on the C3851FS

## bizhub C3851FS/C3351

### COLOR COMPACT MULTIFUNCTION PRINTER

The bizhub® C3851FS and C3351 provide brilliant color quality and up to 40 ppm output to help you keep ahead of rising document demands. The advanced Emperon print system, standard wireless connectivity and web browser, standard stapler inner-finisher\*, high-speed fax and intuitive touchscreen operation make this a valuable standalone solution or versatile addition to mixed networks of large and small MFPS.

#### SYSTEM OVERVIEW

<b>System memory</b>	4 GB (when UK-211 is installed)
<b>System hard disk</b>	250 GB (standard)
<b>Interface</b>	10-BASE-T / 100-BASE-TX / 1,000-BASE-T Ethernet, USB 2.0
<b>Network protocols</b>	TCP/IP (IPv4 / IPv6), SMB, LPD, IPP, SNMP, HTTP, HTTPS
<b>Frame types</b>	Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP
<b>Reversing automatic document feeder</b>	Up to 50 originals / 5.5" x 8.5" to 8.5" x 14" / 50–128 gsm
<b>Printable paper size</b>	4" x 6" to 8.5" x 14" / custom paper sizes
<b>Printable paper weight</b>	60–210 gsm
<b>Paper input capacity</b>	<b>Standard:</b> 650 sheets / <b>Max.:</b> 1,650 sheets
<b>Tray 1</b>	550 sheets / 4" x 6" to 8.5" x 14" / 60–210 gsm
<b>Tray 2-3 (optional)</b>	500 sheets / 8.5" x 11" to 8.5" x 14" / 60–90 gsm
<b>Manual bypass</b>	100 sheets / 4" x 6" to 8.5" x 14" / custom paper sizes / 60–210 gsm
<b>Automatic duplexing</b>	Letter, legal / 60–210 gsm
<b>Finishing modes</b>	Staple (inline) up to 50 sheets*
<b>Output capacity</b>	<b>Max.:</b> 250 sheets
<b>Copy/print volume</b>	<b>Max.:</b> 120,000 pages / month <sup>1</sup>
<b>Toner lifetime</b>	<b>K:</b> 13K <b>CMY:</b> 12K
<b>Imaging unit lifetime</b>	<b>K:</b> 60K <b>CMY:</b> 50K
<b>Power consumption</b>	120 V / 60 Hz, less than 1.2 kW (system) (C3351) less than 1.7 kW (system) (C3851FS)
<b>System dimensions</b>	21.9" x 22.9" x 23.7" (W x D x H)
<b>System weight</b>	Approx. 116 lb (C3851FS) / Approx. 105 lb (C3351)

#### COPIER SPECIFICATIONS

<b>Copying process</b>	Electrostatic laser copy, tandem, indirect
<b>Toner system</b>	Simitri® HD Polymerized Toner
<b>Print speed</b>	Up to 40 ppm / 35 ppm (C3851FS/C3351) (letter, mono/color)
<b>Autoduplex speed</b>	Up to 40 ppm / 35 ppm (C3851FS/C3351) (letter, mono/color)
<b>1st copy out time</b>	9 sec./10 sec. (mono/color)
<b>Warm-up time</b>	Approx. 30 sec. <sup>2</sup>
<b>Copy resolution</b>	600 x 600 dpi
<b>Gradations</b>	256 gradations
<b>Multi-copy</b>	1–999
<b>Original format</b>	<b>Max.:</b> up to 8.5" x 14"
<b>Magnification</b>	25–400% in 1% steps, auto zooming
<b>Copy functions</b>	Electronic sorting, multi-job, adjustments (contrast, sharpness, image density), proof copy, interrupt mode, color mode, separate scan, sort/group, combination, original selection, ID card copy, 2-in-1, 4-in-1

\*C3851FS only

#### SCANNER SPECIFICATIONS

<b>Scan speed</b>	Up to 37 cpm (mono/color)
<b>Scan resolution</b>	600 x 600 dpi
<b>Scan modes</b>	Scan-to-Email, Scan-to-SMB, Scan-to-FTP, Scan-to-USB, Scan-to-HDD, Scan-to-DPWS, Network TWAIN
<b>File formats</b>	JPEG, TIFF, XPS, PDF, PDF/A(1b), Compact PDF
<b>Scan destinations</b>	2,100 (shared with fax), LDAP support
<b>Scan functions</b>	Up to 400 job programs

#### PRINTER SPECIFICATIONS

<b>Print resolution</b>	600 x 600 dpi, 1,200 x 1,200 dpi (reduced speed)
<b>PDL</b>	PCL 5e/c emulation, PCL XL ver. 3.0, PostScript 3 emulation (3016), XPS ver. 1.0, OpenXPS, PDF 1.7
<b>Operating systems</b>	Windows (x64): XP / Vista / 7 / 8 Windows Server (x64): 2008 / 2008 R2 / 2012 Macintosh OS X 10.6 or later Linux / Citrix
<b>Printer fonts</b>	80 PCL Latin, 137 PostScript 3 Latin
<b>Print functions</b>	Direct print of TIFF, XPS, PDF and OOXML (DOCX, XLSX, PPTX), secure print, combination, n-up, poster, booklet page order, watermark

#### FAX SPECIFICATIONS (Std. for C3851FS / Opt. for C3351)

<b>Fax</b>	Super G3 (standard)
<b>Transmission</b>	Analog, PC-fax
<b>Resolution</b>	<b>Max.:</b> 600 x 600 dpi (ultra-fine)
<b>Compression</b>	MH, MR, MMR, JBIG
<b>Modem</b>	Up to 33.6 Kbps
<b>Destinations</b>	2,100 (single + group)
<b>Functions</b>	Time shift, PC-fax, fax forwarding, up to 400 program dials

#### SYSTEM FEATURES

<b>Security</b>	ISO 15408 EAL3 (in evaluation), IP filtering and port blocking, SSL2, SSL3 and TLS1.0 network communication, IPsec support, IEEE 802.1x support, user authentication, secure print, HDD overwrite (8 standard types), HDD data encryption, copy protection (print only)
<b>Software</b>	PageScope Net Care Device Manager, PageScope Data Administrator, PageScope Direct Print, PageScope Mobile, Print Status Notifier, Driver Packaging Utility

<sup>1</sup>Maximum monthly duty cycle describes the maximum number of pages a device can output on a monthly basis. This specification is a guideline intended to offer a comparison of durability as it relates to the entire Konica Minolta MFP and printer product line so that the appropriate device can be placed in order to meet customer needs.

<sup>2</sup>Warm-up time may vary depending on the operating environment and usage.

## AT A GLANCE

- Up to 40 ppm speed in color and B/W
- Super G3 fax
- Stapler inner-finisher\*
- Advanced scan capture function
- Built-in Emperon® Print System, PCL and PostScript emulation
- Large 7" touchscreen
- Open API for seamless software integration
- Enhanced security with IC card reader compatibility
- Standard wireless connectivity
- Mobile printing support (AirPrint, Google Classic Cloud Print, NFC)

\*C3851FS only



For complete information on Konica Minolta products and solutions, please visit: [CountOnKonicaMinolta.com](http://CountOnKonicaMinolta.com)



KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.  
100 Williams Drive, Ramsey, New Jersey 07446

[CountOnKonicaMinolta.com](http://CountOnKonicaMinolta.com)



Item #: C3851FSR0  
9/2017-C

© 2017 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo and bizhub are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.